

Production Engineering - Medical Equipment Division

[PEMED HOME](#) 6035 E. 38th Avenue, Denver, Colorado 80207 USA (303) 393-7800 FAX (303) 393-1482

Physician's Office

Click here for:

[Microscopes](#)

To get this entire section as a printable PDF document [click here](#)

Physician's fiber optic headlight - \$375



List: \$1,400. MedCon: VG. Welch Allyn surgical headlamp.

Features:

- one each of model 90147 (ACMI or Luxtec light port connector) and model 49540 (Schott or AO light port connector)
- head gear with cable guides and tightening knobs for crown and head circumference fit
- 8-foot fiber optic cable
- adjustable focus
- finger-grip aiming handle
- lapel clip

Shipping weight is about 3 pounds.

Spirometer - \$750



List: \$4,300. MedCon: VG. Spirometrics Flowmate Plus spirometer, model 2500. 120 V, 60 Hz.

Features:

- an automatic, small, hand portable table top unit
- handheld breathing tube
- selectable tests, including FVC, MVV, and VC
- tabular and graphic data
- controls for paper and pen, with small printer / recorder, 110 mm paper
- output may be displayed, printed, erased or summarized
- results may be downloaded to a computer through a 9-pin serial port
- power on/off pushbutton
- carrying handle/cord wrap
- universal power cord with hospital grade plug

Overall dimensions of the unit:

- width: 11 in.
- depth: 12.5
- height: 6

Shipping weight is about 15 pounds. We also have 2 older flow mates, \$675 each.

Peak flow meter - \$175



List: \$1,200. MedCon: VG. Wright peak flow meter, manufactured by Monaghan.

Hand-held meter with mouthpiece measures patient expiratory force on a large face gauge ranging from 60-1000 liters/minute. Includes directions for use, diagnostic chart with normal male and female values, and carrying case (repaired with tape but

serviceable).

Shipping weight is about 3 pounds.

Diagnostic spirometer - \$1,475



List: \$2,750. MedCon: VG. SDI Diagnostics Spirolab spirometer. 120VAC, 60 Hz. input provides 12VDC from transformer.

Features:

- version 3.2 software
- 33 test parameters with auto interpretation and quality control alerts
- monochrome LCD screen (3.5 x 4.75 inches) with adjustable tilt, brightness and contrast
- digital turbine flowmeter
- alphanumeric keyboard with dedicated test buttons
- thermal paper report printer, 4.25 inch paper
- RS232 serial port for export to full format printer
- stores more than 1500 tests
- patient ID recall



Menus for test selection, predicted values options and patient data. The monochrome screen shots are closer to the actual display color than the blue cast in the above photo.

Overall dimensions of the unit:

- width: 12.25 in.
- depth: 8
- height: 2.75

Shipping weight is about 7 pounds.

Spirometer - \$975



List: \$4,300. MedCon: VG. Brentwood Spiroscan 2000 spirometer. 115 V.

Features:

- spirometer sensor included, use with disposable mouthpieces
- control panel with numerical keypad, test selection keys, pre and post keys, and LCD for menus,

graphs and test results

- built-in printer for hard copy of patient parameters and test results (tabular and graphical)
- left side panel has connector for sensor , calibration screw, adjustments for volume and screen contrast and RS-232C connector
- power on/off rocker switch
- universal power cord




Overall dimensions of the unit:

- width: 14.25 in.
- depth: 15.5
- height: 5.25

Shipping weight is about 20 pounds.

Electrocardiograph - \$1,275



List: \$3,200. MedCon: VG. Siemens Burdick E350 electrocardiograph. 115 V, 50-60 Hz.

Features:

- rolling cart with supply drawer, bottom shelf, and one locking castor
- LCD window with operator prompts
- automatic and manual modes
- uses 8.5 inch paper, Burdick 007966
- 3, 4 or 6 channel printout

- Burdick 007514 cable with RL, LL, V1, V2, V3, V4, V5, V6, RA and LA leads
- back of unit has modem connection, 25 pin monitor, and 9-pin connector

Overall dimensions of the unit:

- width: 12.25 in.
- depth: 26.5
- height: 36

Shipping weight is about 60 pounds. 2 units in stock.

Electrocardiograph - \$975



List: \$2,600. MedCon: VG. Quinton Q700 Cardiograph. 120 V, 60 Hz.

Features:

- pushbuttons to select leads configuration
- two chart speeds
- adjustable gain
- filter on/off
- beeper on/off
- selectable report formats
- 28-pin connector
- need to buy AMI D8E02 cable, which will provide new with unit

Overall dimensions of the unit:

- width: 23 in.
- depth: 13.75
- height: 5.25

Shipping weight is about 26 pounds.

ReadyBath warmer - \$275 each

List: \$1,500. MedCon: VG. Quincy Lab/Medline ReadyBath MSC Warmer, model 10-140M. 115 V, 60 Hz. Warms ReadyBath line of patient wipes and cleansers to comfort temperature.



Features:

- heats to 120 degrees F
- indicator lamps for power on and heat cycle
- temperature gauge
- thermometer port or vent


Overall dimensions of the unit:

- width: 13.25 in.
- depth: 12
- height: 15.25

Shipping weight is about 45 pounds. 5 units in stock

ReadyBath warmer - \$375 each

List: \$2,375 each. MedCon: VG. Quincy Lab/Medline ReadyBath MSC Warmer 30, model 12-140MHS. 115 V, 60 Hz. Warms ReadyBath line of patient wipes and cleansers to comfort temperature.



Features:

- heats to 120 degrees F

- indicator lamps for power on and heat cycle
- temperature gauge
- thermometer port or vent
- product slots are approx. 4-5/8 x 9.5 x 1.25 in
- 30 unit capacity

Overall dimensions of the unit:

- width: 19 in.
- depth: 14.5
- height: 21.75

Shipping weight is about 50 pounds. 8 units in stock

Electrocardiograph - \$575



List: \$1,800. MedCon: VG. Burdick E200 electrocardiograph. 120 V.

Features:

- Burdick cable with RL, LL, V1, V2, V3, V4, V5, V6, RA and LA leads
- auto and manual modes
- patient ID entry
- 2.5 inch paper strip recorder with stylus
- power on/off rocker switch
- two supply shelves, one with door

Overall dimensions of the unit:

- width: 22 in.
- depth: 19
- height: 39

Shipping weight is about 80 pounds.

Glucose analyzer - \$175



List: \$610. MedCon: Demo. Hemocue Glucose 201 analyzer.

Features:

- handheld unit is 3.5 x 6.5 x 1.75 inches
- uses disposable micro cuvette requiring only 5 ul of capillary, venous or arterial blood
- LCD window gives digital result in mg/dL
- uses four AA batteries or plug-in transformer (included), 120 V, 60 Hz. goes to 6VDC

Overall dimensions of the box:

- width: 10.5 in.
- depth: 7.75
- height: 2.5

Shipping weight is about 2 pounds.

Electrocardiograph - \$1,875



List: \$6,200. MedCon: VG. Hewlett-Packard 4755A PageWriter II.
100-120 V, 50-60 Hz.

Features:

- model 4755A electrocardiograph on Hewlett-Packard 4720B cart with transport handle
- LCD display window and touchpad keys
- user menu including patient ID, data store and transmit
- 4700 AH G19 cable with LL, LA, V1, V2, V3, V4, V5, V6, RL, and RA leads
- uses 8.5 x 11 inch paper for single page report
- back of unit has ECG input (electrically isolated), 25-pin data com port and 15-pin ECG out

Overall dimensions of the unit:

- width: 20 in.
- depth: 35.5
- height: 36.5

Shipping weight is about 40 pounds.

Physiotherapy electrical stimulation unit - \$800



List:\$4,400. MedCon: VG. Enraf Nonius Delft Vacotron 436 . 110 V, 60 Hz. Electrotherapy unit with vacuum-aided placement of electrodes.

Features:

- console is 17.5 x 13 x 6.75 inches
- connectors for two sets of electrodes, electrodes included
- LF and IF modes with toggle
- output adjustment dial
- power on/off rocker switch with red indicator light

Overall dimensions of the unit on cart:

- width: 19.75 in.
- depth: 14.5
- height: 35.25

Shipping weight is about 46 pounds.

Body composition analyzer - \$1,750



List: \$4,300. MedCon: VG. Futrex 5000 A/ZL body composition and fitness analyzer.

Features:

- uses trans reflection of near infrared light from probe placed at biceps area
- child and adult calibration
- User's Manual and all accessories as shown in the photo of the storage case
- R9701601 infrared probe
- 120 V, 60 hz. power source delivers 9 VDC

- small console (4.75 x 9.75 x 2.75 inches) has simple data entry and measurement protocols with LCD window, printer, and tilt-view brace
- reports % body fat, fat weight, lean weight, total body water and body mass index

Overall dimensions of the case:

- width: 18 in.
- depth: 13.75
- height: 4.5

Shipping weight is about 10 pounds.

Hand-held fiber optic laryngoscope set - \$375



List: \$710. MedCon: VG. Welch Allyn 60803 and Mercury Bantam handles with blades and storage case

The following blades are include:

- Welch Allyn 69603, MacIntosh 3
- Welch Allyn 69604, MacIntosh 4
- Welch Allyn 68602, Miller 2
- Welch Allyn 68603, Miller 3
- Drager Miller 0
- Drager MacIntosh 2
- Porges 1

Shipping weight is about 3 pounds.

Hand-held fiber optic laryngoscope set - \$376



List: \$700. MedCon: N. Welch Allyn laryngoscope set. Small and medium (60200) handles with #695 and Wisconsin 2, 3, and 4 blades.

Shipping weight is about 3 pounds.

Hand-held fiber optic laryngoscope set - \$274



List: \$700. MedCon: N. AMS handle with Wisconsin 2, 3, and 4 blades, extra 3 and 4 blades and an extra Welch Allyn handle with a thinner profile and compatible with the AMS blades.

Shipping weight is about 2 pounds.

Splint heating pan - \$750



List: \$1,900. MedCon: VG. Rolyan model A530-1 splint heating pan. 120 V, 1500 W.

Features:

- heats to 150°F
- stainless steel lid with two handles
- drain with quarter turn knob
- power on/off rocker switch with red indicator light

Overall dimensions of the unit:

- width: 31 in.
- depth: 24
- height: 7.75

Shipping weight is about 30 pounds.

Compact vascular Doppler ultrasound device - \$375



List: \$658. MedCon: VG. Imex Pocket-Dop II.

Features:

- pocket-size; 2.5 x 1.5 x 5.5 inches
- 8 MHz transducer; vascular and superficial vessels
- built-in speaker for audio output or stethoscope style and single earphones
- on/off dial and volume control
- belt clip
- operates on two AA batteries
- storage case included

Overall dimensions of the case:

- width: 12.5 in.
- depth: 9.5
- height: 4.5

Shipping weight is about 5 pounds.

Tympanic thermometer - \$150 each



List: \$399. MedCon: VG. Sherwood Medical FirstTemp Genius infrared ear thermometers.

Features:

- suitable for patients of all ages
- scan and eject probe cover buttons
- displays temperature in less than 2 seconds based on selection of most accurate of multiple readings; triple beep
- LCD window gives result
- uses replaceable 9V alkaline battery
- base unit hold rack of 21 ear probe covers
- calibration device available; see our listing

Overall dimensions of the unit:

- width: 9.5 in.
- depth: 2.75
- height: 3

Shipping weight is about 3 pounds. 11 units in stock.

Therapeutic ultrasound and generator - \$475



List: \$900. MedCon: VG. Mettler Electronics Sonicator 705 generator. 120 V, 60 Hz.

Features:

- 5 cm² applicator head allows efficient energy transfer by direct patient contact; underwater capable
- continuous (up to 10 W) and pulse (up to 15 W) modes
- transducer with 7 foot cable
- 6.5 foot power cord with hospital grade plug
- carrying handle

Overall dimensions of the unit:

- width: 6 in.
- depth: 13
- height: 4

Shipping weight is about 20 pounds.

Body composition analyzer - \$875



List: \$1,750. MedCon: VG. Biodynamics model 310 bio impedance analyzer, also called a body fat analyzer.

Features:

- uses standard ECG electrode pad for measurements of resistance

and reactivity at wrist and ankle sites; computes the following

- lean body weight
- fat body weight
- body mass index
- basal metabolic rate
- total body water
- TBW/body weight
- TBW/fat free mass
- compact unit; 12.5 x 8.5 x 3.25 inches
- software version 6.0
- built-in paper report printer, 3.25 inch
- electrode cables
- LCD menu window with operator response keys and numerical keypad
- rechargeable NICAD batteries
- battery charger included; 120 VAC, 60 Hz., 15 VDC output
- User's Guide included
- data management system; BC Profile floppy disc for Windows 3.1, Windows 95
- carrying case included
- supplies are commercially available by order from Biodynamics Corporation



Overall dimensions of the case:

- width: 16 in.
- depth: 5
- height: 10

Shipping weight is about 15 pounds.

Splint heating pan - \$375



List: \$771. MedCon: VG. North Coast Medical Splint-Form 1000 heating pan. 120 V, 60 Hz. 1200 W.

Features:

- perforated stainless steel insert
- clear plastic lid with recessed grip
- temperature control dial with red indicator light
- power on/off toggle switch
- 5 foot power cord with hospital grade plug

Inner dimensions of the pan with insert:

- width: 11.5 in.
- depth: 19.5
- height: 5.75

Outer dimensions of the pan:

- width: 14 in.
- depth: 23
- height: 8.5

Shipping weight is about 35 pounds.

Ultrasound therapy unit - \$350



List: \$900. MedCon: VG. Birtcher Megason VI model 106-5 ultrasound generator. 115 V, 60 Hz.

Features:

- 1 MHz probe
- adjustable intensity dial and dual scale analog power meter; total W and W/cm²
- dosage timer
- active cycle light
- carrying handle
- retractable cord wrap

Overall dimensions of the unit:

- width: 16.5 in.
- depth: 10.75
- height: 10

Shipping weight is about 40 pounds.

Diagnostic set - \$375 / 175 each



List: \$900. MedCon: EX. Welch Allyn diagnostic set. With otoscope and ophthalmoscope heads, \$375 / set; without heads transformer only, \$175.

Features:

- model 74710 transformer has 120 VAC, 60 Hz. input and provides 3.5 V output
- 7 foot power cord with hospital grade plug
- power on rocker switch with green indicator light
- instrument lights come on upon removal from cradle
- wall bracket with four screw slots

Shipping weight is about 15 pounds each. 5 sets without heads in stock.

Electrocardiograph on cart - \$2,175




List: \$4,225. MedCon: VG. Hewlett-Packard Page writer XLe (model M1702A) on cart (model M1705A). 120 V, 50/60 Hz.

Features:

- software version A.01.00
- ecg data acquisition module, model M1700-69501
- operates in AC and battery modes, AC operation indicator light, battery charge indicator
- 3 trace chart printout, 8.5 x 11 inch paper with annotation space
- patient data entry keyboard

- 5, 10 25 and 50 mm/sec chart speed
- adjustable ECG scale
- leads placement chart
- on/standby pushbutton
- auto or manual start
- 9-pin ECG and data comm ports



views of the instrument back, leads setup instructions, configuration report and information displayed in LCD window

Overall dimensions of the console:

- width: 15.5 in.
- depth: 22.25
- height: 5.5

Overall dimensions of the unit on cart:

- width: 16 in.
- depth: 33.5
- height: 39

Shipping weight is about 80 pounds.

Interpretive electrocardiograph - \$2,375



List: \$4,325. MedCon: VG. Hewlett-Packard Page writer 300pi electrocardiograph. 100-120/220-240 V, 50/60 Hz.

Features:

- operates in AC and battery (M2460A) modes, AC operation indicator light
- LCD monitor, black lettering on green screen shows 3 traces, leads setup and chart speed

- 3 trace chart printout, 8.5 x 11 inch paper with annotation space
- patient data entry keyboard
- 5, 10 25 and 50 mm/sec chart speed
- adjustable ECG scale
- auto or manual start
- 15-pin connector for ECG module
- leads placement chart
- on/standby pushbutton

Overall dimensions of the unit:

- width: 15.5 in.
- depth: 17
- height: 4.5

Shipping weight is about 30 pounds.

Ultrasonic generator - \$1,275



List: \$4,300. MedCon: VG. Elmed Synchronic ultrasonic generator, model 210-C (also called model 6150). 110/120 V, 50/60 Hz.

Features:

- 1 MHz. probe (surface of probe is heat tarnished, but probe is still useable)
- amplitude modulated waveform; 8 msec duration, 120 Hz. rate
- Tpeak/Tave intensity 2.8:1
- surge, tetanize and pulsation modes
- interrupted and normal modes
- 0 to Max ultrasound output dial
- analog gauge shows average and peak outputs on dual scales (W and W/cm²)
- power on indicator lamp

Overall dimensions of the unit:

- width: 19.5 in.
- depth: 15.5
- height: 6

Shipping weight is about 35 pounds.

Electrocardiograph - \$2,375



List: \$4,200. MedCon: VG. Hewlett-Packard Page writer 100 electrocardiograph. 100-120/220-240 V, 50/60 Hz.

Features:

- operates in AC and battery (M2460A) modes, AC operation indicator light, low battery indicator
- 3 trace chart printout, 8.5 x 11 inch paper with annotation space
- patient data entry keyboard
- 5, 10 25 and 50 mm/sec chart speed
- adjustable ECG scale
- auto or manual start
- 15-pin connector for ECG module
- leads placement chart
- on/standby pushbutton

Overall dimensions of the unit:

- width: 15.5 in.
- depth: 17
- height: 4.5

Shipping weight is about 30 pounds.

Interpretive ECG - \$2,275 each



List: \$6,355. MedCon: VG. Hewlett-Packard Page writer XLi. 120 V, 50/60 Hz.

Features:

- rolling cart with upper and lower supply bins
- monitor shows live traces and active parameters

- LCD with response buttons
- alphanumeric keyboard
- Philips M1700-69501 patient module with leads
- full page traces and report
- adjustable chart speed
- internal battery and battery level indicator
- I/O includes ECG input connector, 9-pin data com and 4-pin modem
- service manual included



Overall dimensions of the console:

- width: 15.5 in.
- depth: 22.25
- height: 6.5

Overall dimensions of the console on stand:

- width: 15.5 in.
- depth: 33.5
- height: 40.75

Shipping weight is about 80 pounds. 2 units in stock.

Electrocardiograph - \$750



List: \$8,275. MedCon: VG. Cambridge Medical Instruments CM3000 electrocardiograph. 120 V, 60 Hz. An older style 12 lead ekg machine.

Features:

- rolling cart with supply tray and transport handles
- 3 recording channels
- six preprogrammed formats

- indicator lights for active functions
- adjustable sensitivity
- adjustable chart speed
- 17-pin connector (cable and leads not included)
- 8.5 x 12 in. chart paper with 3 tracings, patient data and interpretation entry



Overall dimensions of the unit:

- width: 28 in.
- depth: 18.5
- height: 36

Shipping weight is about 160 pounds.

Aspiration pump - \$275 each



List: \$315. MedCon: Demo. MadaVac model 172BS aspiration pump. 115 V, 60 Hz.

Features:

- 800 ml plastic receptacle
- power on/off toggle switch
- carrying handle

- 0-22 in. Hg suction

Overall dimensions of the unit:

- width: 14.5 in.
- depth: 8
- height: 11

Shipping weight is about 25 pounds. 2 units in stock.

Oto/ ophthalmoscope wall transformer - \$175 each



List: \$410. MedCon: ex. Welch Allyn model 767 otoscope and ophthalmoscope wall transformer.

Features:

- does not include otoscope or ophthalmoscope heads

on off switch

built in mounting slots

two hand pieces

brightness adjustment ring on each handle

Shipping weight is about 10 pounds each. 4 units in stock.

Portable electrocardiograph EKG - \$1,575



List: \$6,700. MedCon: EX. General Electric GE Marquette Mac PC electrocardiograph with PM-3 power module.

Ships with brand-new batteries.

Features:

- 3 lead and 12 lead modes
- LCD window and F keypad response to options
- instructions printed on instrument
- PM-3 power module (120 V, 50-60 Hz.) provides 28 VDC output
- uses internal replaceable battery pack, 3807-001

Overall dimensions of the Mac PC:

- width: 8.75 in.
- depth: 12
- height: 3.5

Overall dimensions of the PM-3 power module:

- width: 6.25 in.
- depth: 9.5
- height: 4.5

Shipping weight is about 20 pounds.

Sphygmomanometer - \$225 each



MedCon: VG. Welch Allyn sphygmomanometer, on roll around stand, as shown.

features:

- needle gauge reads 20 - 300 mm Hg
- adult cuff included
- rolling stand has 14 x 14 in. base and the height is adjustable from 37.5-49 in.

Shipping weight is about 25 pounds. 2 units in stock.

Therapeutic ultrasound device - \$375



List: \$900 MedCon: G. Duratech model 210E/HVG316 ultrasound high voltage stimulator. 110/120 V, 50/60 Hz.

Features:

- specifications
 - ultrasonic frequency, 1.0 MHz
 - waveform, amplitude-modulated
 - rate, 120 Hz
 - duration, 8 ms
 - T-peak/T-ave intensity, 2.8:1
- analog gauge for DC power applied
- analog gauge displays average and peak power (W) and average and peak intensity (W/cm²) for ultrasound mode
- rolling stand with lower tray

- connectors for treating pads and ultrasound transducer (pads and transducer not included)

Overall dimensions of the unit:

- width: 21 in.
- depth: 12.5
- height: 32.5

Shipping weight is about 40 pounds.

Vascular Doppler system - \$675



List: \$4,300. MedCon: VG. Circadian VascuTest III Doppler system. 110 V, 60 Hz.

Features:

- 5 measurement modes and variable size selection
- side of instrument has connector panel for Doppler probe, PPG probe, PCR input, footswitch and headphone (accessories not included)
- adjustable doppler audio volume dial
- built-in printer (4 cm wide paper) with 2 chart speeds
- carrying handle
- back bumpers

Overall dimensions of the unit:

- width: 17 in.
- depth: 12
- height: 6

Shipping weight is about 20 pounds.

Portable Doppler ultrasound - \$975

List: \$2,895. MedCon: VG. Medasonics Versatone model D8 portable Doppler ultrasound. 105- 130 V, 50/60 Hz.



Features:

- Doppler probe model P81, 2.4 Mhz, 3.3 cm flat, used to monitor for venous air emboli during surgery
- probe receptacle compatible with probe models

P81, P82, P83, and P84

- standby, timed on and on modes
- tone can be set to normal or biased for high or low frequencies
- built-in loudspeaker
- adjustable volume
- internal rechargeable battery
- low battery indicator, red light and audible beep
- chart and tape recorder outputs
- headset jack
- storage compartment for probes and instruction manual
- instruction manual included

Overall dimensions of the unit:

- width: 11 in.
- depth: 10
- height: 5.25

Shipping weight is about 15 pounds.

12 lead electrocardiograph - \$2,750



List: \$12,900. MedCon: VG. Physio-Control/Mortara Lifenet 200 Electrocardiograph with ELI-VU screen.

Features:

- rolling cart with locking casters
- 8 x 5 in. ELI-VU screen with gain, speed, lead selection and filter selection buttons and chest/limb and acquire/review modes
- control panel with
 - LCD message window
 - alphanumerical touchpad

- power on and ECG, RHY, XMT and STOP functions
- lead cables, V1, V2, V3, V4, V5, V6, R1, RA, LA and LL
- 6.25 in. wide graph with room for annotation on chart paper roll with perforated 8.5 x 11 in. segments
- supply drawer and bottom-mounted 3-part tray



easy start and review functions

Overall dimensions of the unit:

- width: 18 in.
- depth: 31
- height: 49.5

Shipping weight is about 140 pounds.

Therapeutic ultrasound device - \$675



List: \$2,700. MedCon: VG. Enraf Nonius Sonopuls model 434 therapeutic ultrasound device. 110-120 V, 50-60 Hz.

Features:

- includes a single 1.0 MHz (model 1434.801; 5 cm²) transducers
- 1 and 3 MHz modes with indicator lamps for active mode
- digital display of time and W or W/cm²
- dial for variable W/cm²
- 4 timing modes
- two transducer ports and holding clamps for transducers on side of instrument

Overall dimensions of the unit:




- width: 17.5 in.
- depth: 13.5

- height: 6.5

Shipping weight is about 25 pounds. 2 units in stock.

Electro stimulators and biofeedback device - **\$225** your choice of model

List: \$2,700. MedCon: VG. Enraf Nonius electrostimulators. 110-120 V, 50/60 Hz. These are working units offered without electrodes.

	<p>Endomed model 433 interferential electrostimulation device</p> <p>adjustable power output, digital display of time and mA</p>	4 units in stock
	<p>Dynatron model 432 electrotherapy device, 110 V, 60 Hz.</p> <p>9 stimulation modes, digital display of time and mA</p>	1 units in stock
	<p>Myomed model 432 electromyography biofeedback device</p> <p>0-3000 microV, variable audio, 2 channel bar graphs</p>	1 units in stock

Overall dimensions of the unit:

- width: 17.5 in.
- depth: 13.5
- height: 6.5

Shipping weight is about 25 pounds.

Therapeutic ultrasound device - **\$275** each



List: \$3,200. MedCon: G. Enraf Nonius Sonopuls model 434 therapeutic ultrasound device. Transducers not included.

Features:

- 1 and 3 MHz modes with indicator lamps for active mode
- digital display of time and W or W/cm²
- dial for variable W/cm²
- 4 timing modes
- two transducer ports and holding clamps for transducers on side of instrument

Overall dimensions of the unit:

- width: 17.5 in.
- depth: 13.5
- height: 6.5

Shipping weight is about 25 pounds. 9 units in stock.

Moist heat unit - \$275



List: \$600. MedCon: VG. Thermo moist heat unit, model MH4. 110 V.

Features:

- rack holds four moist heat pads
- stainless steel lid and interior
- side handles
- drain in back
- cooler/warmer adjustment screw on back

Overall dimensions of the unit:

- width: 14.5 in.
- depth: 13
- height: 14.75

Shipping weight is about 35 pounds.

Therapeutic ultrasound - \$1,750



List: \$2,624. MedCon: VG. Chattanooga Corporation Intellect 245MP ultrasound. 120 V, 50/60 Hz.

Features:

- 1 and 3.3 MHZ frequency capabilities
- 3 ultrasound heads (see second photo for specifications)
- digital display of ultrasound output (toggle between Watts and W/CM2) and time
- 3 duty cycle modes--100% continuous, 50% pulsed and 20% pulsed
- intensity set dial
- applicator modes--2, 5 and 10 cm2
- active and auxiliary head holders on sides of instruments

Overall dimensions of the unit:

- width: 17.5 in.
- depth: 14
- height: 6.5

Shipping weight is about 25 pounds.

Ultrasound and muscle stimulator - \$1,275



List: \$2,250. MedCon: VG. Mettler Electronics model ME 900 ultrasound and muscle stimulator combination unit. 115 V, 50/60 Hz.

Used for therapeutic ultrasound work on muscles.

Features:

- 10 cm2 ultrasound head
- touch pad up and down arrows used to set
 - time

- frequency
- power units and cW/pulse in ultrasound mode
- channel 1 and 2 intensities and stimulation options in the electrical stimulation mode
- presets available
- digital display window give prompts and shows time, frequency, program, and W/cm2 or Volts
- jacks for remote probe and remote reset
- *front connectors for channel 1 and 2 electrodes (electrodes and lead cables not included)



Overall dimensions of the unit:

- width: 14.75 in.
- depth: 12.75
- height: 6

Shipping weight is about 20 pounds.

Electrocardiograph - \$1,675



List: \$7,260. MedCon: VG. Marquette Mac 6. 120 V, 47-63 Hz.

Features:

- 3- or 6-channel automatic electrocardiograph
- leads supported--I, II, III, aVR, aVL, aVF, V1, V2, V3, V4, V5,

V6

- sampling rate of 2000/sec/channel
- uses z-fold thermal paper with grid
- variable paper speed--1-50 mm/sec
- audible and visual alarms
- wired for 47-63 Hz, so will run off of the international voltage frequencies, with voltage converter
- self-contained battery supports 50 runs
- rolling cart with consumables bin, storage box cord wrap and locking casters
- operator's manual included



operators manual

Overall dimensions of the console:

- width: 15 in.
- depth: 21
- height: 6

Overall dimensions of the unit:

- width: 15.5 in.
- depth: 30
- height: 38

Shipping weight is about 110 pounds.

Electrocardiograph - \$2,875



List: \$6,975. MedCon: VG. Marquette Mac VU interpretative EKG. 115/230 V.

Features:

- pediatric and adult modes
- simple patient data screen and RECORD ECG start
- monitor with keyboard prompts
- prints single sheet chart
- multiple data communication options (RMT-CRT, ANA/TTL, AM, COM 1)
- 3.5 in. disc drive for data storage
- storage bins for consumable supplies
- locking casters
- leads not included



Overall dimensions of the unit:

- width: 17 in.
- depth: 33.5
- height: 44 (on cart)

Shipping weight is about 175 pounds.


Electrocardiograph - \$2,175



List: \$4,175. MedCon: VG. Hewlett-Packard Page writer XLe electrocardiograph, also called model M1702A. 120 V, 50/60 Hz.

Features:

- alphanumerical pad for entering patient information
- prompts in choice of English, French, Spanish or German
- prints report on 8.5 x 11 in. chart
- automatic or manual 12 lead ECG machine
- I/O: ECG input, 9-pin data com and modem



data pad

chart

Overall dimensions of the unit:

- width: 15.5 in.
- depth: 22.5
- height: 6

Shipping weight is about 55 pounds.

EKG machine, 12 lead - \$2,275



List: \$8,275. MedCon: VG. Hewlett-Packard model 4760A. 100-120 V, 50/60 Hz.

Features:

- automatic or manual interpretation
- Prints results on paper, or transmission by modem
- on rolling cart with supply drawer and H-P 37212A modem
- prints single sheet graph, eight and half by 11 paper
- leads: LL, LA, RL, RA, V1, V2, V3, V4, V5, and V6
- simple 5-step operating procedure printed on paper-feed area



Dimensions of the console

- width: 15.5 in.
- depth: 22
- height: 5

Overall dimensions of the cart:

- width: 19 in.
- depth: 31
- height: 33.5

Shipping weight is about 150 pounds.

Hyfrecator - \$575 each



List: \$1,300. MedCon: VG. Birtcher model 733 electric hyfrecator.

Features:

- adjustable power output
- high or low cautery
- bipolar coagulation

Shipping weight is about 30 lbs. 2 units in stock

EKG, 12 lead, 3 trace - \$1,975 each



List: \$4,700. MedCon: VG. Marquette electronics/General Electric EKG machine, model Mac 12. A full 12 lead interpretive digital EKG machine.

Features:

- fully interpretive, fully digital
- with user manual
- with modem pack

May be used to transmit resting ECG information to a remote machine, for example, as is required for F. A. A. certifications.



Shipping weight is about 125 lbs. Two units in stock.

Physician scale - \$200



List: \$840. MedCon: G. Health o Meter professional quality mechanical physician scale.

Features:

- digital display
- off/ kms/ lbs button selector
- zero adjust button

Shipping weight is about 80 pounds.

10 lead portable automatic ekg - \$850



List: \$2,860. MedCon: VG. Burdick model Ek-10 ekg machine. A small, compact, portable 3 channels, single trace machine.

Features:

- manual, automatic modes
- digitally controlled
- runs off of 110/220 VAC, 60/50 Hz.
- truly hand portable machine
- with a 9 pin connector for external serial port connections



Shipping weight is about 20 pounds.

EKG - \$2,875



List: \$11,970. MedCon: EX. Marquette Mac Case 15 ECG machine. A 14 or 16 lead, automatic and interpretive ECG machine for full clinical use, with high resolution data acquisition module.

Features:

- 14/16 lead segment analysis
- 12 lead analysis with pediatric mode
- high resolution mode
- pacing
- vector loops
- Holter reports and Holter analysis
- automatic interpretation of standard reports
- complete with user manual
- on cart with casters
- built-in storage compartment
- basket for paper output
- patient connection cable



Shipping weight is about 140 pounds. 1 unit in stock.

12 lead ECG - \$675



List: \$4,300. MedCon: VG. Marquette Mac I ECG machine, 12 lead, 3 channel on cart with patient cable. Non-interpretive, contains a modem pack, so it will send results to a destination, for example when doing FAA certifications.



Shipping weight is about 150 pounds.

EKG 3 channel - \$675

List: \$2,850. MedCon: G. Burdick model 670 3 channel non-interpretive EKG machine. Uses a 10 lead ekg patient cable, and records top 3 simultaneous traces.

Unit may be used with a treadmill for stress testing.



Shipping weight is about 55 pounds.

Other

- Baumometer/sphygmometer with cuff and basket, wall mount - \$75 each
- Baumometer sphygmometer, desk-top portable unit with flip up back - \$55 each
- Instrument side stand, stainless steel - \$85
- Instrument tray, stainless, small - \$35
- Instrument tray, stainless, large - \$45

© Copyright 1993 - 2013 by Production Engineering. PEMED® is a registered trademark of Production Engineering. MedCon is also a trademark of Production Engineering. All rights reserved. Contact PEMED for license requests. The usual copyright notices and disclaimers. Except for search engines or link listing, no part of this website, including derived information, may be republished without express written permission and payment of fees.

Production Engineering - Medical Equipment Division

6035 E. 38th Avenue, Denver, Colorado 80207 USA (303) 393-7800 FAX (303) 393-1482

6035 E. 38th Avenue
Denver, Colorado 80207
USA
telephone (303) 393-7800
FAX (303) 393-1482
<http://www.pemed.com>
email: markz@pemed.com

© Copyright 1993 - 2012 by PEMED / Production Engineering. PEMED is a registered trademark of Production Engineering. MedCon is also a trademark of Production Engineering. All rights reserved.

pemed.com

6035 E. 38th Avenue
Denver, Colorado 80207
USA
telephone (303) 393-7800
FAX (303) 393-1482
www.pemed.com
markz@pemed.com